Refine Search

Search Results -

Terms	Documents
L24 and (log near file)	24

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

T1 Z J			Refine Search
· · · · · · · · · · · · · · · · · · ·	Recall Text	Clear	Interrupt


Search History

DATE: Wednesday, April 18, 2007 Purge Queries Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=Pe	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L25</u>	L24 and (log near file)	24	<u>L25</u>
<u>L24</u>	(L20 or L21 or L22 or L23) and L13	290	<u>L24</u>
<u>L23</u>	379/221.01.ccls.	521	<u>L23</u> .
<u>L22</u>	379/83-84.ccls.	514	<u>L22</u>
<u>L21</u>	455/432.3.ccls.	290	<u>L21</u>
<u>L20</u>	709/223.ccls.	5781	<u>L20</u>
<u>L19</u>	L17 and L13	728	<u>L19</u>
<u>L18</u>	L17 and L16	2	<u>L18</u>
<u>L17</u>	707/\$.ccls.	42616	<u>L17</u>
<u>L16</u>	L15 and match\$3	185	<u>L16</u>
<u>L15</u>	L14 and ((generat\$3 or construct\$3) with command)	254	<u>L15</u>
<u>L14</u>	L13 and L11 .	835	<u>L14</u>
<u>L13</u>	L12 and file	. 13822	<u>L13</u>

<u>L12</u>	PSTN or (public near switch near telephone near network)	45546	<u>L12</u>
<u>L11</u>	switch with command	67237	<u>L11</u>
<u>L10</u>	(L7 or L8 or L9) and (switch\$2 with command)	3	<u>L10</u>
<u>L9</u>	carolyn near jack	7	<u>L9</u>
<u>L8</u>	williams near freebersyser	3	<u>L8</u>
<u>L7</u>	john near doleac	4	<u>L7</u>
<u>L6</u>	L1 and (switch\$2 with command)	7	<u>L6</u>
<u>L5</u>	L1 and (switch\$ with command)	7	<u>L5</u>
<u>L4</u>	L3 and command	11	<u>L4</u>
<u>L3</u>	L2 and file	14	<u>L3</u>
<u>L2</u>	L1 and subset	20	<u>L2</u>
<u>L1</u>	(VERIZON near LABORATORIES) and switch and telecommunicat\$4	46	<u>L1</u>

END OF SEARCH HISTORY



Full text available: pdf(266.82 KB)

full citation, abstract, references, citings, index

In this work we present a generic architecture for interfacing various input devices to VRML browsers. Concentrating on the aspect of navigation, our system supports the full range of potential input devices from conventional haptic devices like keyboard and mouse over special Virtual-Reality devices like spacemouse and joystick to, as a special feature, semantically higher level input like speech and gesture recognition. The communication between the individual components of the system is based ... ⁵ Log files: an extended file service exploiting write-once storage R. Finlayson, D. Cheriton November 1987 ACM SIGOPS Operating Systems Review , Proceedings of the eleventh ACM Symposium on Operating systems principles SOSP '87, Volume 21 Publisher: ACM Press Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>; <u>citings</u>, <u>index</u> Full text available: pdf(1.07 MB) terms A log service provides efficient storage and retrieval of data that is written sequentially (append-only) and not subsequently modified. Application programs and subsystems use log services for recovery, to record security audit trails, and for performance monitoring. Ideally, a log service should accommodate very large, long-lived logs, and provide efficient retrieval and low space overhead. In this paper, we describe the design and implementation of the Clio log service. Clio pr ... A data-driven model for a subset of logic programming Lubomir Bic, Craig Lee October 1987 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 9 Issue 4 Publisher: ACM Press Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> Full text available: pdf(2.24 MB) terms, review There is a direct correspondence between semantic networks and a subset of logic programs, restricted only to binary predicates. The advantage of the latter is that it can describe not only the nodes and arcs comprising a semantic net, but also the dataretrieval operations applied to such nets. The main objective of this paper is to present a data-driven model of computation that permits this subset of logic programs to be executed on a highly parallel computer architecture. We demonstrate ... A log file design for analyzing secondary storage occupancy H. Pat Artis September 1981 ACM SIGMETRICS Performance Evaluation Review, Proceedings of the 1981 ACM SIGMETRICS conference on Measurement and modeling of computer systems SIGMETRICS '81, Volume 10 Issue 3 Publisher: ACM Press Full text available: R pdf(491.98 KB) Additional Information: full citation, abstract, references, index terms A description of the design and implementation of a log file for analyzing the occupancy of secondary storage on IBM computer systems is discussed. Typical applications of the data contained in the log are also discussed.

http://portal.acm.org/results.cfm?coll=ACM&dl=ACM&CFID=20289159&CFTOKEN=2... 4/18/2007

June 2006 Proceedings of the 7th international conference on Learning sciences ICLS

Using log files to track students' model-based inquiry

Barbara C. Buckley, Janice D. Gobert, Paul Horwitz

Publisher: International Society of the Learning Sciences

'06

Full text available: pdf(321.02 KB) Additional Information: full citation, abstract, references

	We report on the Modeling Across the Curriculum Project (mac.concord.org), a 5-year study funded by the IERI program (IERI # 0115699). In this project we are using qualitative model-based tools for inquiry in three science domains (Genetics, Gas Laws, & Newtonian Mechanics) to promote scientific literacy on a broad scale, namely, content knowledge, process skills, and epistemologies of science (Perkins, 1986). The process skills we focus on in this project are model-based inquiry skills; epistem	
9	Remote logging in Java using Jeli: a facility to enhance development of accessible educational software	
•	Steven Robbins March 2000 ACM SIGCSE Bulletin , Proceedings of the thirty-first SIGCSE technical symposium on Computer science education SIGCSE '00, Volume 32 Issue 1 Publisher: ACM Press	
	Full text available: pdf(1.39 MB) Additional Information: full citation, abstract, references, citings, index terms	
	The combination of Java and the World Wide Web has opened up new opportunities for teaching at all levels. It is now possible to assume that all students in a class have access to the web through a browser that supports the Java language and a standard subset of the GUI API. One of the drawbacks of using Java through a browser is the lack of a standardized safe way for a Java applet to access resources on the local machine. Security measures prevent the applet from storing information gener	
10	The state of the art in automating usability evaluation of user interfaces	
(2)	Melody Y. Ivory, Marti A Hearst December 2001 ACM Computing Surveys (CSUR) , Volume 33 Issue 4	
	Publisher: ACM Press	
	Full text available: pdf(2.31 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
	Usability evaluation is an increasingly important part of the user interface design process. However, usability evaluation can be expensive in terms of time and human resources, and automation is therefore a promising way to augment existing approaches. This article presents an extensive survey of usability evaluation methods, organized according to a new taxonomy that emphasizes the role of automation. The survey analyzes existing techniques, identifies which aspects of usability evaluation aut	
	Keywords : Graphical user interfaces, taxonomy, usability evaluation automation, web interfaces	
11 (*)	An interactive software system for computer-aided design: an application to circuit project Giampio Bracchi, Marco Somalvico September 1970 Communications of the ACM, Volume 13 Issue 9 Publisher: ACM Press Full text available: pdf(1.57 MB) Additional Information: full citation, references, citings	
	Keywords : circuit design, computer graphics, computer-aided design, extended Fortran, graphics, interaction, language, monitor language, software organization, software system	

12	Broad-sp	ectrum	studies	of	log	file	analy	sis

②

James H. Andrews, Yingjun Zhang

June 2000 Proceedings of the 22nd international conference on Software engineering ICSE '00

Publisher: ACM Press

Full text available: pdf(220.81 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper reports on research into applying the technique of log file analysis for checking test results to a broad range of testing and other tasks. The studies undertaken included applying log file analysis to both unit- and system-level testing and to requirements of both safety-critical and non-critical systems, and the use of log file analysis in combination with other testing methods. The paper also reports on the technique of using log file analyzers to simulate the software under t ...

Keywords: lightweight formal methods, safety verification, specification, test oracles, testing

13 Bandwidth and traffic estimation techniques: A methodology for estimating



interdomain web traffic demand

Anja Feldmann, Nils Kammenhuber, Olaf Maennel, Bruce Maggs, Roberto De Prisco, Ravi Sundaram

October 2004 Proceedings of the 4th ACM SIGCOMM conference on Internet measurement IMC '04

Publisher: ACM Press

Full text available: pdf(1.08 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper introduces a methodology for estimating interdomain Web traffic lows between all clients worldwide and the ervers belonging to over one housand content providers. The idea is to use the server logs from a large ontent Delivery Network (CDN) to identify client downloads of content provider (i.e., publisher) Web pages. For each of these Web pages, a client typically downloads some objects from the content provider, some from the CDN, and perhaps some from third parties such as banner ...

Keywords: analysis, estimation, interdomain, traffic demand, traffic matrix, web

14 Economics of test automation: test cost and effectiveness: Advanced unit testing:



how to scale up a unit test framework

Cyrille Artho, Armin Biere

May 2006 Proceedings of the 2006 international workshop on Automation of software test AST '06

Publisher: ACM Press

Full text available: 🔁 pdf(200.19 KB) Additional Information: full citation, abstract, references, index terms

Unit testing is a scalable and effective way to uncover software faults. In the JNuke project, automated regression tests combined with coverage measurement ensured high code quality throughout the project. By using a custom testing environment, functionality was extended beyond what is commonly available by unit test frameworks. Low-overhead memory leak detection was implemented through wrapping. Automated support for log files made it possible to track the internal state of objects, which is o ...

Keywords: system testing, test framework, unit testing

19 <u>Demonstrations: Informing intelligent environments: creating profiled user interfaces</u>

Nick Fine, Willem-Paul Brinkman

November 2004 Proceedings of the 2nd European Union symposium on Ambient intelligence EUSAI '04

Publisher: ACM Press .

Full text available: pdf(210.85 KB) Additional Information: full citation, abstract, references

Designing user interfaces for broad user populations often means average user interfaces that do not take individual differences into consideration. The PROSKIN project is researching whether subsets of users can be identified and grouped by distinguishing interactive behaviours so that a more personally optimised interaction can be designed. This paper discusses the design and development of a research environment to support this research.

Keywords: interactive profiles, interface skins, log file recording, logging, profiles, user profiling

20 ②	Policy management using access control spaces Trent Jaeger, Xiaolan Zhang, Antony Edwards August 2003 ACM Transactions on Information and System Security (TISSEC), Vol			
	Publisher: ACM Press			
	Full text available: pdf(360.69 KB) Additional Information: full citation, abstract, references, citings, index terms, review			
	We present the concept of an access control space and investigate how it may be useful in managing access control policies. An access control space represents the permission assignment state of a subject or role. For example, the set of permissions explicitly assigned to a role defines its specified subspace, and the set of constraints precluding assignment to that role defines its prohibited subspace. In analyzing these subspaces, we identify two problems: (1) often a signi			
	Keywords : Access control models, authorization mechanisms, role-based access control			
Resu	ults 1 - 20 of 200 Result page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u>			
	The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. <u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>			
	Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player			